

MACEDONIA COUNTRY UPDATE 2007 FIRST SIGNS OF RECOVERY

Kiril Popovski, Sanja Popovska Vasilevska, Eftim Micevski, Jordan Naunov
Macedonian Geothermal Association (MAGA), Skopje
E-mail: kpopovski@mac.com

Abstract:

Republic of Macedonia passed more than fifteen years of stagnation in geothermal development. Some of previously developed large projects have been abandoned or destroyed. There were no investments in explorations and new projects development. Geothermal energy production in 2006 dropped down for nearly 50%, compared to the situation in 1991.

Recently, first signs of economy recovery of some users and finalized privatization process resulted with several investments

in reconstruction and optimization of geothermal projects. There is interest of the others to do the same and some home and foreign investors are trying to get concession for development of new projects.

Review of presently known geothermal fields and their production capacities, running projects, abandoned or destroyed projects and new activities, i.e. reconstruction and modernization of existing, organization of new projects and possibilities to develop either the geothermal energy resource or its exploitation is made in this paper.



Fig.1. Republic of Macedonia

Country

Macedonia is a small rugged country of about 25.000 km² and 2.200.000 inhabitants, consisting largely of mountains and hills. Much of it occupies a plateau that lies between 600 to 900 meters above sea level. Some of Macedonia's mountains along the Western border reach heights of more than 2,500 m. Mount Korab, the highest peak, is 2,764 m high. Forests of beech, oak, and pine grow in many areas of the country, particularly in the west. The Vardar is Macedonia's longest river. It rises in the Northwest and flows through Central and Southern Macedonia.

Macedonia has cold, snowy winters. Summers are hot in the

mountain valleys but cooler at higher elevations. Temperatures in Skopje average 1 °C in January and 24 °C in July. The city has an average annual rainfall of 55 centimeters.

About 40 percent of Macedonians work in industry and less than 10 percent in agriculture. Such service industries as government, health care, and trade employ most other Macedonians.

Macedonian factories produce cement, iron and steel, sulfuric acid, textiles, and tobacco products. The country's mines yield chromium, copper, iron ore, lead, manganese, uranium, and zinc.

1. INTRODUCTION

Macedonia has been one of the leading European countries in direct uses development during the 80-ies of last century. Even rather modest, the state investments in geothermal explorations gave opportunity to the scientists and economy sector to develop three successful big and several small geothermal projects. However, when positive influence of that began to give results, i.e. when state planned some new larger investments, political and economy transition process from the beginning of 90-ies resulted with a complete collapse of the state economy and, with that, lost of interest for any further investments in the geothermal energy development. Even more, thanks to the collapse of the heat users, some of the existing projects have been abandoned.

Recently, first signs of the economy recovery of some users resulted with several investments in geothermal projects reconstruction and optimization. There is interest of others to do the same, and new candidates are trying to get concession for

development of new projects. However, the process is very much slowed due to the list of constraints, mainly in the legal and financing sector. There is no any strategy for development in the country, no concrete institution responsible for its implementation and no concrete programs for supporting renewable energies development. If something has been done, it was more a result of engagements of several scientists and grants from more developed European countries. Existing ‘pressure’ of WB and EC to work more on the environmental protection can have a positive influence for removing the constraints but it can be predicted that the process shall last at least 4-5 years, according to the experience with the other legislative changes and improving the possibilities for financing new developments.

The country update gives information about the present state of geothermal investigations and use in Macedonia, with identification and comments about possibilities to remove the negatively influencing factors.




Fig.2. Geological map of Macedonia

2. GEOTHERMAL RESOURCE AND POTENTIAL

(Micevski, 2003)

2.1. Geological Framework and Tectonic Settings of Macedonia

Rocks of different age occur, starting from Precambrian to Quaternary at the territory of Macedonia. Almost all lithological types are represented. The oldest, Precambrian rocks, consist of gneiss, micaschists, marble and orthometamorphites. The rocks of Paleozoic age mostly belong to the type of green schists, and the Mesozoic ones are represented by marble limestones, acid, basic and ultrabasic magmatic rocks. The Tertiary sediments consist of flysch and lacustrine sediments, sand-stones, lime-stones, clays and sands.

With respect to the structural relations the territory can be divided into six geotectonic units: The Cukali-Krasta zone, West Macedonian zone, Pelagonian horst anticlinorium, Vardar zone, Serbo-Macedonian massif and the Kraisthida zone (Fig.1). This tectonic setting is based on actual terrain and geological data without using the geotectonic hypothesis (Arsovski, 1998). First four tectonic units are parts of Dinarides, Serbo-Macedonian mass is part of Rodops and the Kraisthida zone is part of Karpato-Balkanides distinguished on the Balkan peninsula as geotectonic units of first stage.

2.2. Geothermal Background (Gorgieva, 2002)

The territory of the Republic of Macedonia belongs to

SERBIA & MONTENEGRO



Fig.3. Zone geology map of Macedonia with location of geothermal reservoirs

HYDROGEOLOGICAL MAP OF MACEDONIA WITH LOCATION OF THERMAL SPRINGS AND BOREHOLES




Fig.4. Hydrogeological map of Macedonia

the Alpine-Himalayan zone, with the Alpine sub-zone having no contemporary volcanic activity. This part starts from Hungary, across Serbia, Macedonia and North Greece and stretches to Turkey. Several geothermal regions have been distinguished including the Macedonian region, which is connected to the Vardar tectonic unit. This region shows positive geothermal anomalies and is hosting different geothermal systems. The hydrogeothermal systems, at the moment, are the only ones that are worth for investigation and exploitation.

There are 18 geothermal known fields in the country with more than 50 thermal springs, boreholes and wells with hot water. These discharge about 1.000 l/s water flow with temperatures of 20-79 °C. Hot waters are mostly of hydrocarbonate nature, according to their dominant anion, and mixed with equal presence of Na, Ca and Mg. The dissolved minerals range from 0.5 to 3.7 g/l.

All thermal waters in Macedonia are of meteoric origin. Heat source is the regional heat flow, in the Vardar zone is about 100 mW/m² and crust thickness 32 km.

2.3. Geothermal Fields in Macedonia (Fig.3, 5, Table 1)

There are 18 localities where geothermal fields occur and geothermal energy is in use for different proposes. The most known areas are listed below:

2.3.1. Kochani valley (Popovski, 2002)

The main characteristics of the Kochani valley geothermal system are: presence of two geothermal fields, Podlog and Istibanja, without hydraulic connection between them. The primary reservoir is build by Precambrian gneiss and Paleozoic carbonated schists and the highest measured temperature in Macedonia of 79°C is obtained by drilling to it. Predicted maximum reservoir temperature is about 100°C (Gorgieva, 1989). Kocani geothermal system is the best investigated system in Macedonia. There are more than 25 boreholes and wells with depths of 100-1.170 m. (Gorgieva, 2002).

2.3.2. Strumica valley (Popovski, 2002)

The main characteristics of this field are: the recharge and discharge zone occur in the same lithological formation-granites; there are springs and boreholes with different temperature at small distances; maximum measured temperature is 73°C; the predicted maximum temperature is 120°C (Gorgieva, 1989); the reservoir in the granites lies under thick Tertiary sediments. Bansko geothermal system has not been examined in detail apart the drilling of several boreholes with depths of 100-600m. (Gorgieva, 2002)

2.3.3. Gevgelia valley (Popovski, 2002)

There are two geothermal fields in the Gevgelia valley: Negorci spa and Smokvica. The discharge zone in both geothermal fields are fault zones in Jurassic diabases and spilites. These two fields are separated by several km and there is no hydraulic connection between them, despite intensive pumping of thermal waters. The maximum temperature is 54°C, and the predicted reservoir temperature is 75-100°C (Gorgieva, 1989). Geothermal system in the Gevgelia valley has been well studied by 15 boreholes with depths between 100-800 m. (Gorgieva, 2002)

2.3.4. Skopje valley (Popovski, 2002)

There are two geothermal fields in the Skopje valley: Volkovo and Katlanovo spa. There is no hydraulic connection between them. The main characteristics of the Skopje hydro-geothermal system are: maximum measured temperature of 54.4 °C and predicted reservoir temperature (by chemical geothermometers) of 80-115°C (Gorgieva, 1989); the primary reservoir is composed of Precambrian and Paleozoic marbles; big masses of travertine deposited during Pliocene and Quaternary period along the valley margins. There are only five boreholes with depths of 86 m in Katlanovo spa, 186 and 350 m in Volkovo and 1.654 and 2.000 m in the middle part of the valley. The last two boreholes are without geothermal anomaly and thermal waters because of their locations in Tertiary sediments with thickness up to 3.800 m. (Gorgieva, 2002)




Fig.4. Location of known geothermal fields in Macedonia

3. GEOTHERMAL UTILIZATION

Thermal waters utilization consists of 7 geothermal pro-

jects and 6 spas. All are completed before and during the 80's of last century. Present state of the projects is as follows:

3.1. Istibanja (Vinica) Geothermal Project

Project consists of 6 ha greenhouse complex geothermal heating in combination with a heavy oil boiler for covering the peak loadings. It has been one of the worst completed projects before the crisis, however after the privatization in 2000 it has been reconstructed and optimized with Austrian and Dutch grants and now properly covers the heat requirements of the roses production for export. Owners are interested to follow investigations in order to enable geothermal heating of additional 6 ha of greenhouses but cannot resolve the problem of getting necessary concession.



Fig.5. Location of geothermal projects in Macedonia

3.2. Kocani (Podlog) Geothermal Project ("Geoterna")

That is presently the largest geothermal project in Macedonia, consisting of 18 ha greenhouse complex geothermal heating, and geothermal space heating of some buildings in the center of the town. Due to the economic crisis in the country, geothermal use in paper industry, vehicle parts industry and rice drying have been lost as consumers of heat during the last 12 years. However, thanks to one Austrian grant, an additional borehole has been drilled, partial reinjection of used water completed and monitoring system introduced in the system. Presently, activities to finalize the completion of reinjection of the effluent water and connection of public buildings in the center of the town is in flow, again with the use of Austrian grant in combination with local financial sources. Project works as a public utility and its organizational structure is good covered by the existing team. Only problem in work is the price of supplied heat, which is kept very low by the State Regulatory Committee and doesn't consist funding for all necessary maintenance works and system development.

3.3. Bansko Geothermal Project

The bankrupt of Agricultural Combine "Strumica" and slow process of its privatization resulted with collapse of the organizational structure and proper use of the geothermal system, particularly during the period of 1999-2000 when heating of the greenhouse complex was out of work. That was used by the other users (existing and new ones) with the increase of "agreed" geothermal water flows. In 2001, when again the greenhouse heating started with work, a trial for introduction of new organizational structure has been made but without success, because not consisting centralized governing of the system exploitation. Introduction of centralized governing of the geothermal system and new exploitation boreholes are an absolute need for its proper work, due to the increased number of users and escorting not covered peak

loadings. Also, a list of reconstructions and optimizations are necessary is necessary in order to put it in proper technical order.

Presently, an action with the help of Italy is in flow, with the aim to perform a reconstruction and modernization of the existing geothermal system, increase its capacity with completion of two exploitation boreholes and introduction of centralized organization of exploitation.

3.4. Smokvica (Gevgelia) Geothermal System

Once the largest geothermal system in Macedonia covering the heat requirements of 22,5 ha glasshouses and about 10 ha soft plastic covered greenhouses is now out of exploitation. Unproper privatization resulted with division of the property to 10 entities and they cannot find a common language for covering the costs of geothermal system exploitation. Meanwhile, also the biggest exploitation borehole has been lost. Renewal of the system exploitation is nearly impossible because conditioning large investments with doubtful economy due to the present production capacity of the users. Some interest is shown to make a new project with different type of users (spa, recreational centre, etc.) but still, there are no concrete actions for their implementation.

3.5. Negorci (Gevgelia) Spa

Reconstruction of the heating installations has been finalized and now all the hotel and therapeutical projects are heated with geothermal energy. However, realization of additional reconstructions and improvements of heating and sanitary installations is necessary. For their realization, a more complete approach to

3.6. Other Spas in Macedonia

Even planned, reconstruction of heating systems and their orientation towards geothermal energy use in Macedonian spas has not been realized due to the un-defined property of them and absence of funds. Activities to find possible investors are in flow in Katlanovo Spa, Kezovica Spa and Bansko Spa. However, it is not possible to expect any positive result before the definition of property of them (presently public utilities but with declared privatization during the coming period).

4. FUTURE DEVELOPMENT

According to the information and data on disposal, it can be expected that the following activities and projects completion shall be realized during the period of the next five years:

- Preparation of the "Geothermal Atlas of Macedonia"
- Preparation of the feasibility study "Strategy of Geothermal Development of Macedonia"
- Preparation of the feasibility study "Geothermal District Heating of Kocani" and partial realization of the town district heating system (already in flow)
- Preparation of the feasibility study "Geothermal Potential of the South/West Macedonia"
- Completion of the second phase of the reinjection system of the Kocani geothermal system (already in flow)
- Recompletion of the Bansko geothermal system (preparation activities in flow)
- Reconstruction of the existing heating installations in Hotel "Car Samuil" in Bansko. Orientation towards geothermal energy use in Katlanovo Spa, Kezovica Spa, Debar Spa and Kosovrasti Spa, and probably
- Beginning of development of the Kratovo geothermal field.

Real realization shall mainly depend on the finalization of the privatization process of the users and success of collection of foreign financial funds for financing the

necessary investments, plus long years expected change of the approach to RES development in the country. Presently, there is no any political or financial support on disposal.

Table 1. THERMAL WATERS IN MACEDONIA AND THEIR PHYSICAL CHARACTERISTICS

No	Place	Occurrence	Coordinate	Temp.	Flow		
	Spring (i)	Borehole (d)	x	y	z	(°C)	(l/s)
1	Volkovo	GTD-1 (d)	4 654 971	7 527 841	374	25	63
2		IBSKG-3 (d)	4 654 330	7 528 150	317	22	22
3	Katlanovska b	D-1 (d)	4 639 800	7 557 650	287	54,2	10
4		B-1,B-2 (d)	4 638 990	7 558 125	255	32	4
5		Nervna v (i)	4 639 225	7 558 100	250	28	2
6		Potkop	4 639 500	7 557 850	265	38	2
7		Fontana (i)	4 639 750	7 557 000	270	28	0,2
8		izvor (I)	4 639 260	7 557 910	230	38	1
9	Proevci	(d)	4 664 460	7 562 100	310	31	2
10	Strnovec	(d)	4 670 300	7 570 050	280	40	17
11	Podlog	EBMP-1 (d)	4 638 625	7 613 175	310	78	150
12		R-3 (d)	4 638 775	7 613 095	310	77,8	80
13	Krupiste	K-1/83 (d)	4 634 000	7 605 000	300	32	0,5
14		K-2/83 (d)	4 634 000	7 605 100	295	40,6	6,9
15	Kocansko pole	R-11 (d)	4 640 700	7 618 252	335	50,6	2,6
16	Kocani	Ka-1 (d)	4 641 750	7 617 200	340	22,4	6
17	Podlog	EB-4 (d)	4 639 000	7 613 000	310	79	120
18	Podlog	EB-3 (d)	4 639 025	7 613 070	310	78	350
19	Istibanja	I -5 (d)	4 643 000	7 624 350	350	66,4	12
20		I -3 (d)	4 643 100	7 624 350	350	67	5
21		I -4 (d)	4 643 025	7 624 475	350	56,6	4,2
22	Trkanje	EB-2 (d)	4 649 560	7 612 660	311	71,3	50
23		R-9 (d)	4 639 375	7 612 675	310	71,3	85
34	Banja	B-1 (d)	4 641 550	7 611 225	350	63	8,3
25		B-2 (d)	4 641 525	7 611 205	348	63,2	55,3
26		R-1 (d)	4 640 300	7 615 840	347	63	30
27		R-6 (d)	4 639 925	7 611 600	350	40	1
28	Bansko	B-1 (d)	4 583 900	7 647 225	258	68	55
29		izvor (I)	4 583 500	7 647 160	270	73	6
30	Negorci	NB-3 (d)	4 559 875	7 625 530	65,1	47,2	40
31		NB-4 (d)	4 559 750	7 625 600	64,3	53,2	40
32		B-1 (d)	4 559 100	7 625 410	65	32	3
33	Smokvica	Sied6 (d)	4 570 375	7 624 812	56,9	45,1	7,2
34		Sied1 (d)	4 570 340	7 624 800	57,5	56,7	60
35		Sied2 (d)	4 569 650	7 624 775	57,1	48,1	5,2
36		Sied4 (d)	4 570 250	7 624 815	57	56,1	35
37		Sied5 (d)	4 570 400	7 624 780	57,1	64	40
38		Sied7 (d)	4 520 369	7 624 725	57,1	68,5	60
39	Stip	Ldzi (i)	4 621 825	7 598 552	300	59	1
40		Kezovica (d)	4 621 700	7 598 360	280	57	7
41		B-4 (d)	4 621 850	7 598 630	260	32	30
42	Kozuf	Topli dol(i)	4 560 225	7 583 760	740	28	0,5
43		Toplik (i)	4 558 275	7 579 743	880	22	8
44		Mrezicko (i)	4 561 875	7 583 450	720	21	0,2
45		Gornicet (i)	4 558 425	7 619 650	220	23	0,1
46	Kratovo	Povisica (d)	4 659 035	7 590 143	443	31	4
47		Dobrevo (d)	4 654 510	7 600 300	330	28	5,5
48	Veles	Sabota voda	4 620 025	7 567 810	280	21	5
49	Rakles	dupn (d)	4 609 287	7 624 308	349	26	2
50	Dojran	Toplec (i)	4 566 550	7 642 530	161	25	2
51		Deribas (d)	4 561 580	7 643 900	240	20,5	10
52	Debar	Kosovrasti (d)	4 561 580	7 643 900	400	48,5	10
53		Baniste (d)	4 561 580	7 643 900	750	40,5	5-100

(Gorgieva, 2000)

4. DISCUSSION

Present state-of-the-art of geothermal energy use in Macedonia is mainly a consequence of the process of the

political and economic changes in flow. The economy collaps of the country, unsolved problems with the privatization of production capacities of the geothermal energy users, a list of legal constraints, absence of a strategy for development,

absence of the state support for the necessary explorations and investigations and very hard conditions for financing necessary reconstructions and new investments in the sector resulted with a complete stagnation for the period of more than 15 years. Real change of the situation cannot be ex-

pected before resolving the problem of listed constraints. Therefore, even the process of elimination of them is already in flow (new laws for energy, for mineral and water resources, and for concessions, etc.), it is not possible to expect serious changes during the period of next 5 years.

TABLE 2. GEOTHERMAL PROJECTS IN MACEDONIA

GEOTHERMAL LOCATION	GEOTHERMAL FIELD	APPLICATION	HEAT POWER (TOTAL, kW)	HEAT POWER (GEOTH., kW)	HEAT USERS
Istibanja (Vinica)	Kocani	Heating of a greenhouse complex	17.500	7.480	Aerial pipes and vegetative heating, plus heating of benches
Bansko	Strumica	Geothermal District Heating System	10.350	10.350	Heating greenhouses: - Aerial steel pipes in combination with corrugated plastic pipes - Soil heating Space heating: - Aluminium radiators - Air heating system - Sanitary warm water preparation - Swimming pool
Podlog	Kocani	Geothermal District Heating System and balneology	40.700	40.700	Heating greenhouses: - Aerial steel pipes Space heating: - Aluminia radiators - Iron radiators
Smokvica	Gevgelia				Abandoned
Negorci	Gevgelia	Space heating and balneology	250	250	Space heating: - Aerial steel pipes - Aluminia radiators Sanitary warm water preparation
Katlanovo	Skopje	Balneology			
Kumanovo	Kumanovo	Balneology			
Kezovica	Stip	Balneology			
Kosovrasti	Debar	Balneology			
Banjiste	Debar	Balneology			
Banja	Kocani	Balneology			Abandoned
TOTAL			68.800	58.780	

REFERENCES

Arsovski M. (1997). Tektonika na Makedonija, Stip
Konstantin Dimitrov, Mirjana Gorgieva and Kiril Popovski
GEOTHERMAL ENERGY RESOURCES AND THEIR
USE IN THE REPUBLIC OF MACEDONIA,
Proceedings World Geothermal Congress 2000 Kyushu -
Tohoku, Japan, May 28 - June 10, 2000
Mira Georgieva. SUMMARY OF FUNDAMENTALS FOR
EVALUATION OF THE GEOTHERMAL POTENTIAL
OF THE VARDARIAN ZONE AND SERBIAN-MA-
CEDONIAN MASS AT THE TERRITORY OF THE
REPUBLIC OF MACEDONIA, Annual Workshop of
MAGA, Ohrid 2003
Mirjana Gorgieva; Dusko Gorgiev; Kiril Popovski; Kos-
tadin Dimitrov; Saso Manasov INFERRED SECTION
OF THE MAIN (LOW-TEMPERATURE) GEOTHER-
MAL SYSTEMS IN THE REPUBLIC OF MACEDO-
NIA, Proceedings World Geothermal Congress 2000

Kyushu - Tohoku, Japan, May 28 - June 10, 2000
Mirjana Gorgieva; Kiril Popovski; Dusko Gorgiev GEO-
THERMAL ENERGY IN MACEDONIA, STATE-OF-
THE-ART AND PERSPECTIVES, International Geo-
thermal Days of ISS "GREECE 2002", Proceedings,
Skopje 2002
Eftim Micevski. GEOTERMALEN POTENCIJAL NA JU-
GO-ZAPADNIOT DEL NA MAKEDONIJA, Annual
Workshop of MAGA, Ohrid 2003
Kiril Popovski. Feasibility Study on POSSIBLE IN-
VESTMENTS IN GEOTHERMAL PROJECTS IN MA-
CEDONIA, WB study, Skopje 2002
Kiril Popovski. Geothermal Energy Use in Macedonia,
International Conference GEAIA, Athens 2004
Kiril Popovski, Eftim Micevski, Sanja Popovska Vasilevska,
Macedonia -Country update 2005, World Geothermal
Congress WGC 2005, Antalya 2005