

Geothermal Energy Use in Russia, Country Update for 2007-2012

Valentina Svalova¹, Konstantin Povarov²

¹ Institute of Environmental Geoscience RAS, Ulansky per., 13, Moscow, 101000 Russia

² Association of Geothermal Energy Society, Krasnokazarmennaya Str. 9/1, Moscow, 111250 Russia

inter@geoenv.ru

Keywords: Geothermal resources, electric power generation, direct use, Russia

ABSTRACT

Russia possesses unique reserves of geothermal energy for production of electricity, provision of district heating systems for industrial and agricultural needs. Exploitation of geothermal resources, implementation of drilling operations for geothermal fluid production has been carried out in Russia and former Soviet Union for more than 60 years. Today almost all the territory of the country is well investigated. It was found that numerous regions have reserves of hot geothermal fluid with the temperature from 50 up to 200°C at depth from 200 to 3000 m. These areas are located in the European part of Russia: Central region; Northern Caucasus; Daghestan; in Siberia: Baikal rift area, Krasnoyarsk region, Chukotka, Sakhalin. Kamchatka Peninsula and the Kuril Islands have the richest resources of geothermal power available for the production of up to 2000 MW of electricity and for more than 3000 MW of heat for district heating system. Utilization of geothermal resources in Russia is especially important for heat supply to northern territories of our country. In Russia more than 45% of total energy resources are used for heat supply of cities, settlements and industrial complexes. Up to 30% of those energy resources can be provided using geothermal heat. Utilization of geothermal heat is planned in the following regions of Russia: Krasnodar Region (heat supply of Labinsk town as well as complex geothermal use in Rozoviy town), Kaliningrad Region and Kamchatka (heat supply of Yelizovo and construction of Pauzhetsky binary power plant of 2,5 MW capacity and extension of the existing Mutnovsky GeopPP (50 MW) utilize secondary steam for the production up to 12 MW of electricity.

1. INTRODUCTION

The economical and political changes that have taken place in Russia greatly influence the way the power industry is developing. Power and heat generation in Russia mainly is based on fossil fuel utilization and operation of nuclear and hydro power plants. Nowadays contribution of geothermal energy is comparatively modest, although the country possesses significant geothermal resources. Contemporary economical situation in Russia depends on

development of its energy potential. Difficulties with fuel transportation make the problem of power supply sounder, particularly in northern and eastern regions of the country. Under these circumstances, it is natural that the regions should strive to use their own energy resources and develop renewable sources of energy. In the Far Eastern regions, Sakhalin, the Kuril Islands, and, particularly, in Kamchatka, utilization of the Earth's thermal energy is coming to be a subject of great importance. Figure 1 illustrates the main territories of Russia possessing geothermal power resources for industrial utilization. There are 8 main regions promising for "direct" utilization (heat supply to residential and industrial buildings, heating of greenhouses and soils, in the cattle breeding industry, fish farming, in industrial manufacture, for chemical elements extraction, for increase of a reservoir recovery, for frozen rocks melting, in balneology etc.), as well as for heat generation with application of heat pumps and power production at binary cycle GeoPP. One of them – region 5 (Kamchatka and the Kuril Islands) is region of active volcanoes being most promising for "direct" utilization of geothermal heat and construction of single and double flash GeoPP.

So far 66 thermal water and steam-and-hydrothermal fields have been explored in Russia. Half of them is in operation providing approximately 1.5 mln Gkal of heat annually, which is equal to the annual replacement of almost 300 thousand tones of conventional fuel. Vartanjan, Komjagina (1999).

2. SOUTHERN PART OF RUSSIA

Daghestan Republic at the Northern Caucasus is one of the biggest area for the development of geothermal energy. Total amount of resources at the depth of 0,5-5,5 km allows to obtain approximately 4 million m³/day of geothermal fluid. At present, more than 7,5 million m³/year of hot water 50-110°C is used in Daghestan. Among them, 17% as hot water; 43% for district heating; 20% for greenhouses and 3% for balneology and mineral water production. Totally in Daghestan about 180 wells have been drilled at a depth from 200 to 5500 m. The regions of such towns as Kizlyar, Tarumovka and Jushnosukhokumsk, possess unique reserves of hot water. For instance, Tarumovskoye deposit has the reserves of geothermal

water of high salinity (200 g/l) with temperature up to 195°C. Six wells have been drilled to depths of about 5500 m, the deepest geothermal wells in Russia. Tests indicate high reservoir permeability with wells

producing between 7,500 and 11,000 m³/day at wellhead pressures of 140-150 bara. Magamedov K.M. et. al. (1999)




Figure 1: Promising geothermal area of Russia

1 – Northern Caucasus (Alpine area), 2 – Northern Caucasus (platform area), 3 – West Siberia, 4 – Baikal adjacent area, 5 - Kuril-Kamchatka region, 6 – Primorje, 7-8 – Okhotsko-Chukotsky volcanic belt



Figure 2: Geothermal resources of the Southern part of Russia (Krasnodar and Stavropol regions, Dagestan and Chechen Republics)

In Caucasia and Ciscaucasia thermal waters make multilayer artesian basins in sediments of Mesozoic and Cenozoic era. Mineralization and temperature of these waters vary significantly: in fore deeps at depths of 1-2 km - from 0,5 to 65 g/kg and from 70 to 100°C respectively, while on the Scythian platform at depths of 4-5 km – from 1 to 200 g/kg and from 50°C to 170°C also respectively. Kononov, Polyak and Kozlov

(2000). In Dagestan total amount of explored thermal water reserves makes 278 thous. m³/day with flowing operation, and with used water reinjection – 400 thous. m³/day, herein heat potential being equivalent to the annual replacement of 600 thousand tones of conventional fuel. Main explored thermal water resources with temperature between 40-107°C and mineralization between 1,5-27 g/l are located in the

Northern Dagestan. For the last 40 years 12 major thermal water fields have been discovered and 130 wells have been drilled and prepared for exploitation in this region (Fig. 2). However presently only 15% of the potential of known thermal water reserves is used. Aliev, Palamarchuk and Badarov (2002). Krasnodar region also possesses significant reserves of geothermal heat. It has wide experience of geothermal energy source utilization. Thus, 50 geothermal wells are in service, which produce water in the amount of up to 10 mln. m^3 having temperature between 75-110°C. Region wide-scale utilization of geothermal energy use in Krasnodar region will allow providing by 2020 up to 10% of all heat demand and up to 3% of all energy demand of the region. Geothermal energy has big perspectives in Krasnodar region. The aggregate heat capacity of geothermal fields being in service makes 238 MW.

3. CENTRAL PART AND SIBERIA

Besides the economical viability of widely located lowpotential geothermal resources utilization for heat and power generation is becoming more and more evident; such resources are mostly available in mineralized water fields with temperatures between 30-80°C (sometimes even up to 100°C) at depths between 1-2 km. Such resources are located in the central part of Middle-Russian basin (Moscow syneclide) that comprises 8 regions: Vologodsky, Ivanovsky, Kostromskoy, Moskovsky, Nizhegorodsky, Novgorodsky, Tverskoy and Yaroslavsky. There are also promising opportunities to efficiently utilize thermal waters in Leningrad and especially Kaliningrad regions. Efficiency of their utilization can be provided through application of heat pumps and binary circulating systems. Broad use of geothermal heat is possible in the center of the European part of Russia. Siberia also possesses geothermal heat reserves, which can be used for heat supply and agriculture. (Fig.1) Thermal waters of West Siberia platform form a big artesian basin in the platform cover being almost 3 mln. km² in area extent. At depths down to 3 km resources of thermal water with temperatures between 35 and 75 °C and mineralization between 1 and 25 g/kg are evaluated at 180m³/s. Injection of high mineralized thermal waters and brines requires their reinjection after using their heat potential to prevent pollution of the environment. Utilization of even 5% of their reserves will allow generating 834 mln Gkal/year, which will save 119 mln. tones of conventional fuel. In Baikal adjacent area there are numerous thermal resources, flow rate of which may often reach many thousand of cubic meters a day with temperature varying between 30 and 80°C and higher. Usually mineralization of such waters does not exceed 0,6 g/l. If consider the chemical content of thermal waters, mostly they are alkaline, sulfate or sodium bicarbonate. The majority of these resources is located in Tunkinsky and Barguzinsky cavities and along the coastline of Baikal lake. Kononov and Povarov (2005). There are also thermal water

resources in Primorje and Okhotsko-Chukotsky volcanic belt.

4. KAMCHATKA AND KURIL ISLANDS

However, the richest geothermal heat reserves are in the Far East part of Russia. In particular, Kamchatka and the Kuril Islands (Fig. 3) have the richest resources, with a generating power capacity of up to 2000 MW and of heat capacity no less than 3000 MW utilizing a steam water mixture and hot water. Since the middle of 50's systematic geophysical surveys and drilling have been carried out in Kamchatka geothermal field. To date 385 wells have been drilled to depths of 170 to 1800 m including 44 wells producing a two-phase fluid at an emergence temperature of more than 160 °C. In 1966 Pauzhetskaya geothermal power plant was commissioned south of Kamchatka; at present it is under successful operation generating the cheapest electricity in that region. The estimated potential of this geothermal field is about 50 MW (up to 30 years). Povarov (2000).



Figure 3: Kamchatka and Kuril Islands – active volcanoes zones

Practically all territory of Kamchatka has geothermal heat available in the form of hot water, two-phase fluid and steam. In the south of Kamchatka near the Pauzhetskaya GeoPP, exploration of the Koshelevskaya geothermal system has discovered resources sufficient for GeoPP, with a capacity of about 350 MW. North of Mutnovskaya GeoPP there are resources available for the generation of 180-200 MW. The eastern part of Kamchatka is estimated rich of high temperature geothermal water resources, for a

power capacity of about 250 MW. In the center and northern part of Kamchatka the estimated power capacity of the geothermal resources with temperatures above 150°C is 550 MW, and the estimated heat capacity of the geothermal resources with temperatures below 150°C is up to 600 MW. Nowadays there are 5 geothermal power plants in Kamchatka and the Kuril Islands under successful operation and 2 more under construction (Fig. 4). Main high potential (steam and hydrothermal) systems of Kamchatka are: Mutnovsky, Pauzhetsky, Koshelevsky, Bolshebanny and Kireunsky fields. At present power and heat supply of Kuril Islands is mostly fulfilled from diesel electricity generators and heating boiler-houses operating on imported coal. At the same time, Kuril Islands are rich with geothermal resources. Their expected capacity reaches 300 MW. Geothermal power and heat plants of required capacity can be constructed in the vicinity of each large settlement, operating or planned facilities of Kuril Islands - on Kunashir, Iturup, Paramushir islands, etc. Several geothermal reservoirs were explored and several geothermal manifestations were

detected at the mentioned islands. For example, at Kunashir Island, according to exploration works data, the expected reserves of the geothermal reservoir "Goryachy Plyazh - Mendeleyevskoye" are estimated at 52 MW. The expected reserves of the most northern island of Kuril ridge - Paramushir, calculated by various methods, can support operation of a geothermal power plant with capacity of 15-100 MW. A similar geothermal power complex is under construction at Iturup Island. It will permit supplying electricity for Kurilsk city. Construction of a geothermal power plant is implemented on site at the foot of Baransky volcano, 21 km away from Kurilsk city. Two power modules were installed on two sites, with total capacity of 3.6 MW. In 2006 I start-up complex with capacity of 1.8 MW was commissioned. Reserves of fluid for Okeansky reservoir, "Kipyashchy" area, ensure a geothermal power plant's capacity of 5.0 MW. Geothermal heat supply of Kurilsk city is not planned, due to the terrain relief complexity.



Figure 4: Location of existing geothermal power plants in Kamchatka and Kuril Islands

5. LOCAL GEOTHERMAL DISTRICT HEATING AND POWER SUPPLY SYSTEMS

Direct use of geothermal resources is mostly developed in Kuril-Kamchatka region, Dagestan and Krasnodar Krai, and first of all for heat supply and green houses heating. Development of geothermal resources is also very promising in such regions as West Siberia, Baikal adjacent area, Chukotka, Primorje, Sakhalin. Besides economical viability of

utilizing widely available low potential geothermal resources (located in mineralized water with temperature between 30 and 80/even 100°C) fields at depths of 1-2 km for heat and power supply is quite evident. Such resources can be found in the central part of Middle Russian basin. There are also promising opportunities to utilize thermal water in Leningrad and especially in Kaliningrad regions. In line with construction of series of traditional single flash or

double flash geothermal power plants and geothermal binary cycle power plants in Kamchatka and Kuril Islands, there are other promising projects in Russia being at different stages of their development:

- District heating and electricity supply systems for Labinsk City, Krasnodar Krai;
- Complex utilization of geothermal resources in Stavropol Krai;
- District heating and electricity supply of Svetly town, Kaliningrad region.

Construction of new high efficient binary cycle power plants, application of heat pumps and new technologies for dwelling and industrial facilities heating would radically improve the energy supply balance of Russia.

6. CONCLUSIONS

Russia, unlike many other countries, possesses unique natural resources. Fossil fuel reserves are huge in our country, and comparing to the world ones make up: 35% for gas, 33% for wood, 12% for oil, but in the same time it possesses enormous reserves of geothermal heat, which energy potential 8-12 times exceeds all hydrocarbon fuel energy potential, and which could radically change the energy balance. Summarizing the situation with geothermal energy utilization in Russia first of all we should mention once again that in Kamchatka three geothermal power plants are in successful operation: 12 MW and 50 MW on Verkhne- Mutnovsky and Mutnovsky fields respectively and 11 MW on Pauzhetsky field. Povarov (2000). On Kuril Islands (Kunashir and Iturup) there are two small GeoPP with capacities of 3,6 MW, which are also in successful operation. Utilization of geothermal heat is planned in the following regions of Russia: Krasnodar Krai (heat supply of Ust-Labinsk and Labinsk towns as well as complex geothermal use in Mostovskoy Region), Kaliningrad Region (energy and heat supply of Svetly town), Kamchatka Region (heat supply of Yelizovo district and construction of Pauzhetsky binary power plant 2,5 MW capacity and extension of existing Mutnovsky GeoPP).

REFERENCES

Aliev R.M., Palamarchuk V.S., Badarov G.B. Issues of geothermal district heating on the territory of North Dagestan. *Proceedings, Geothermal heat power engineering. FED RAS*, Makhachkala, (2002), 25 – 35.

Kononov V.I., Polyak B.G., Kozlov B.M. Geothermal development in Russia: Country update report 1995-1999, *Proceedings, World Geothermal Congress*, (2000), Hyushu – Tohoku, Japan. May 28 – June 10, 201–206.

Kononov V.I., Povarov O.A. Geothermal development in Russia: Country update report 2000-2004, *Proceedings, World Geothermal Congress*, (2005), Antalya, Turkey, 24-25 April.

Magamedov, K.M., Alkhasov, A.V., Aliyev, R.M. Geothermal energy prospects in Daghestan, *IGA News*, No. 36, (1999), 3-4.

Povarov O.A. Geothermal power engineering in Russia today, *Proceedings, World Geothermal Congress* (2000), Hyushu – Tohoku, Japan. May 28 – June 10. Vol 1. 207-212.

Vartanjan G.S., Komjagina V.A., Plotnikova R.I., Soustova T.N., Shpak A.A. Utilization and perspectives of development of mineral, thermal and industrial water resources. M: *Geoinformmark*, (1999), 86.

Tables A-G**Table A: Present and planned geothermal power plants, total numbers**

| | Geothermal Power Plants | | Total Electric Power in the country | | Share of geothermal in total | |
|--------------------------------|-----------------------------|-----------------------------------|-------------------------------------|-----------------------------------|------------------------------|----------------|
| | Capacity (MW _e) | Production (GWh _e /yr) | Capacity (MW _e) | Production (GWh _e /yr) | Capacity (%) | Production (%) |
| In operation end of 2012 | 81.9 | 440.7 | | | | |
| Under construction end of 2012 | 5.7 | 30 | | | | |
| Total projected by 2015 | 87.6 | 470 | | | | |

Table B: Existing geothermal power plants, individual sites

| Locality | Plant Name | Year commiss. | No of units | Status | Type | Total inst. Capacity (MW _e) | Total running cap. (MW _e) | 2012 product. (GWh _e /y) |
|----------------------|-----------------------------|---------------|--------------|---------------|-----------------|---|---------------------------------------|-------------------------------------|
| Kamchatka | Pauzhets-kaya GeoPP | 1966 | 3 | O | 1 F | 14.5 ¹ | 8 - 9 | 59.5 ² |
| Kamchatka | Verkhne-Mutnovs-kaya GeoPP | 1999 | 3 | O | 1 F | 12 | | 58.3 ² |
| Kamchatka | Mutnovs-kaya GeoPP | 2002 | 2 | O | 1 F | 50 | | 322.9 ² |
| Kuril Isl., Kunashir | Mendeleevs-kaya GeoPP | 2007 | 1 | O | 1 F | 1.8 ³ | | n/a |
| Kuril Isl. Kunashir | Okeanskaya GeoPP | 2007 | 2 | O | 1 F | 3.6 | | n/a |
| total | | | 11 | | | 81.9 | | 440.7 |
| Key for status: | | | | Key for type: | | | | |
| O | Operating | D | Dry Steam | B-ORC | Binary (ORC) | | | |
| N | Not operating (temporarily) | 1F | Single Flash | B-Kal | Binary (Kalina) | | | |
| R | Retired | 2F | Double Flash | O | Other | | | |

¹ 2.5 MWe under construction or planned² data for 2008³ 3.2 MWe under construction or planned

Table C: Present and planned geothermal district heating (DH) plants and other direct uses, total numbers *

* Geothermal district heating plants are not available in the country.

Table D: Existing geothermal district heating (DH) plants, individual sites *

* Geothermal district heating plants are not available in the country.

Table E: Shallow geothermal energy, ground source heat pumps (GSHP) *

| | Geothermal Heat Pumps (GSHP), total | | | New GSHP in 2012 | | |
|--------------------------|-------------------------------------|------------------------------|------------------------------------|------------------|------------------------------|--------------------------|
| | Number | Capacity (MW _{th}) | Production (GWh _{th} /yr) | Number | Capacity (MW _{th}) | Share in new constr. (%) |
| In operation end of 2012 | Some 1000 | | | Some 100 | | |
| Projected by 2015 | | | | | | |

* Hirvonen, J. at EHPA conference 2007: "Some hundreds of heat pumps per year (IVT, NIBE, THERMIA, Viessman); challenging business culture. No statistics."

Table F: Investment and Employment in geothermal energy *

* No data or estimation available.

Table G: Incentives, Information, Education *

* No information available for this table